

# har-SAB M12/8/5p PAC 2m PVC w/o LED



Part number	09 07 001 2225 300
Specification	har-SAB M12/8/5p PAC 2m PVC w/o LED
HARTING eCatalogue	https://b2b.harting.com/09070012225300

Image is for illustration purposes only. Please refer to product description.

### Identification

Series	Circular connectors M12
Element	Distribution boxes
Specification	Pre-assembled termination shell

### Version

Cable length	2 m
Core structure	3x AWG 18 + 16x AWG 22
Total number of ports	8
Number of contacts	5

# **Technical characteristics**

Rated current	9 A
Rated voltage	10 V DC 30 V DC
Limiting temperature	-30 +85 °C
Degree of protection acc. to IEC 60529	IP67
Number of channels per port	2
Circuit logic	PNP

## Material properties

Material (cable)	PVC	
------------------	-----	--

Page 1 / 2 | Creation date 2022-09-07 | Please note that the data specified here were taken as extracts from the online catalogue. Please refer to the user documentation for the complete and up-to-date information and data. Please also note that the user is responsible for validating functionality, conformity with applicable laws and directives, as well as for the electrical safety in the particular application. HARTING Customised Solutions GmbH & Co. KG | In der Tütenbeke 22 | 32339 Espelkamp | Germany Phone +49 5772 47-0 | info@HARTING.com | www.HARTING.com Product data sheet 09 07 001 2225 300 har-SAB M12/8/5p PAC 2m PVC w/o LED



## Specifications and approvals

UL / CSA	UL 2238 CYJV.E500416 CSA-C22.2 CYJV7.E500416	
Commercial data		
Packaging size	1	
Country of origin	China	
European customs tariff number	85444290	
eCl@ss	27440108 Passive Sensor-Actuator-Interface (with cable)	

Page 2 / 2 | Creation date 2022-09-07 | Please note that the data specified here were taken as extracts from the online catalogue. Please refer to the user documentation for the complete and up-to-date information and data. Please also note that the user is responsible for validating functionality, conformity with applicable laws and directives, as well as for the electrical safety in the particular application. HARTING Customised Solutions GmbH & Co. KG | In der Tütenbeke 22 | 32339 Espelkamp | Germany Phone +49 5772 47-0 | info@HARTING.com | www.HARTING.com