

Datenblatt Art. 924.1740

Data sheet | Fiche technique | Scheda tecnica | Fișa tehnică

Thermostat- Adapter

Elektrische Kenngrößen		Electrical parameters	
Nennstrom / Bemessungsspannung	16A (9A) / 230V~	Rated current / rated voltage	16A (9A) / 230V~
Frequenz	50Hz	Frequency	50Hz
Anschlussleistung	3680W (16A) 2070W (9A)	Connected load	3680W (16A) 2070W (9A)
Netzanschluss		Power supply	
Stecker	CEE 7/7 (Type E/F)	Plug	CEE 7/7 (Type E/F)
Stromausgang		Power output	
Steckdosen		Socket outlets	
1x CEE 7/3 (Type F)		1x CEE 7/3 (Type F)	
2-polig mit Schutzkontakt		2-pole with earthing contact	
Mit erhöhtem Berührungsschutz		With shutter	
Schwarz, ähnlich RAL 9005, 45°		Black, similar to RAL 9005, 45°	
16A 250V~, IP20		16A 250V~, IP20	
Funktionsmodule		Function modules	
Eingebautes Thermostat		Built-in thermostat	
Einstellbare Temperatur 5°C-30°C		Adjustable temperature 5°C-30°C	
Manuell einstellbarer Temperaturregler & Umschalter heiß/ kalt		Manually adjustable temperature & change-over swift hot/ cold	
LED- Anzeige		LED indicator	
für die Betriebszustände		for operating conditions	
Weitere Produkteigenschaften		Further product attributes	
Abmessungen	62 x 125 x 80 mm	Dimensions	62 x 125 x 80 mm
Material		Material	
Gehäuse:		Housing:	
PA6 GF30 850°C		PA6 GF30 850°C	
Lieferumfang		Scope of delivery	
1x Thermostat-Adapter		1x Thermostat-Adapter	
Im Karton		In carton	

Umgebungsbedingungen**Environmental conditions****Schutzart**

IP20

Protection type

IP20

