
# BRUMBERG

## DRY WALL Außenecke Dry installation profile

Article no. 53774260

Light. For Generations.



#### Tender

Dry installation profile, silver. With the use of profile covers 53450000 53450070 53449080 the additional mechanical protection and optimal light distribution can be achieved. The associated end cap set is under 53101260 available. for Mounting method: Surface mounting, Material: Aluminium, dimensions profile: length: 2.000 mm x width: 48,5 mm x height: 37,5 mm .

### **Product Benefits**

- Perfect solution for holistic lighting concepts in modern drywall construction.
- Drywall profile outside corner for a seamless mounting option between two plasterboard panels on an outside corner.
- Flush finish of the gypsum board after filling and plastering.
- · Sustainable, indirect LED lighting.
- Matching end pieces available as separate accessories.
- Up to 3 meters in one piece.

Article data	
Article no.	53774260
GTIN	4251433953524
Series name	DRY WALL Außenecke
Short description	Dry installation profile
Material	Aluminium
Colour	Silver
Length	2,000 mm
Width	48.5 mm
Hight	37.5 mm
Weight	0.640 kg

All technical data as well as, weight and measurements are based on rated values and had been carefully prepared. We reserve the right to make technical changes which are are important in progressing. Product pictures are examples and can vary from the original. Subject to errors. Date 15.03.2023 Orders are placed under our general terms and conditions under https://www.brumberg.com/en/terms-and-conditions/general-terms-and-conditions-of-sale/

## DRY WALL Außenecke Dry installation profile

Article no. 53774260

Light.

**BRUMBERG** 

For Generations.

Packing data	
Gross weight	1.34 kg
Length of packaging	75 mm
Packaging width	75 mm
Packaging hight	2,050 mm
Note	Please note that the materials aluminium and PMMA or PC
	can expand differently with changes in temperature! At a
	temperature change of 10°C, the coefficient of expansion is approx.
	aluminium is approx. 0.7mm per metre, for plastic approx. 1.5mm per metre. This is
	not a defect in the product, this is a normal physical process.
	physical process.
Disposal at end of life	This product must not be disposed of with household waste. You are obliged, to dispose of
	such electrical waste separately.
	By disposing of electrical waste and other old or defective electronics separately, you
	support recycling or other forms of re-use. In that way you help to take care and to avoid that
	harmful substances get into the environment.