

Datenblatt Art. 929.034

Data sheet | Fiche technique | Scheda tecnica | Fișa tehnică

DUE

Elektrische Kenngrößen Electrical parameters

Nennstrom / Bemessungsspannung	13A / 250V~	Rated current / rated voltage	13A / 250V~
Frequenz	50 Hz	Frequency	50 Hz

Netzanschluss Power supply

Zuleitung	0,2m H05VV-F 3G1,5mm²	Supply cable	0,2m H05VV-F 3G1,5mm²
Farbe Zuleitung	Schwarz	Colour supply cable	Black
Stecker	Wieland GST18i3	Plug	Wieland GST18i3

Stromausgang Power output

Steckdosen	Socket outlets
1x UK BS 1363 (Type G)	1x UK BS 1363 (Type G)
2-polig mit Schutzkontakt	2-pole with earthing contact
Mit erhöhtem Berührungsschutz	With shutter
Schwarz, ähnlich RAL 9005, 90°	Black, similar to RAL 9005, 90°
13A 250V~, IP20	13A 250V~, IP20

Funktionsmodule Function modules

Custom Module	Custom Modules
1x Custom Modul leer	1x Custom Module empty

Weitere Produkteigenschaften Further product attributes

Tischplattenstärke	10-40mm	Tabletop thickness	10-40mm
Einbautiefe	45mm	Mounting depth	45mm
Plattform	DUE	Platform	DUE
Material	Material		
Gehäuse:	Housing:		
PC/ ABS 850°C, schwarz ähnlich RAL9005	PC/ ABS 850°C, black similar to RAL 9005		

Lieferumfang	Scope of delivery
1x DUE Steckdoseneinheit	1x DUE power strip
1x Montageschablone	1x Mounting template

Im Karton In carton

