


Connector Location A




Connector Location B




X
male


Y
male

Loading Plan



-Protection level: IP20
-Temperature range: -30°C ... +70°C

 All Dimensions in mm		Tech. Character.		Free size tol.		According to production drawing	
 All rights reserved Department HCS - RO		Created by COSTEA Costea	Inspected by 402676 Gross	Standardisation MUNTEANV Muntean	Date 2023-06-08	State Final Release	
HARTING Customised Solutions D-32339 Espelkamp		Title RJ Industrial Cable Assembly				Doc-Key / ECM-Nr. 100155469/UGD/026/G 500000245667	
		Type TB	Number 09473434XXX			Rev. G	Page 1/3

1		2		3		4		5		6		7		8	
A															
	48	09473434048	HAR PROFINET Typ B 4xAWG 22/7 PVC green	20 ±0.2	92	09473434092	HAR PROFINET Typ C 4xAWG 22/7 PUR Trail. green	2.5 ±0.025							
B	47	09473434047		15 ±0.15	91	09473434091		2 ±0.02							
	46	09473434046		10 ±0.1	90	09473434090		1.5 ±0.015							
	45	09473434045		9 ±0.09	89	09473434089		1 ±0.01							
	44	09473434044		8 ±0.08	88	09473434088		0.6 ±0.01							
	43	09473434043		7.5 ±0.075	87	09473434087		0.5 ±0.01							
	42	09473434042		7 ±0.07	86	09473434086		0.3 ±0.01							
	41	09473434041		6 ±0.06	85	09473434085		0.2 ±0.01							
	40	09473434040		5 ±0.05	84	09473434084		100 ±1							
	39	09473434039		4 ±0.04	83	09473434083		90 ±0.9							
	38	09473434038		3.5 ±0.035	82	09473434082		80 ±0.8							
	37	09473434037		3 ±0.03	81	09473434081		70 ±0.7							
	36	09473434036		2.5 ±0.025	80	09473434080		60 ±0.6							
	35	09473434035		2 ±0.02	79	09473434079		50 ±0.5							
	34	09473434034		1.5 ±0.015	78	09473434078		40 ±0.4							
	33	09473434033		1 ±0.01	77	09473434077		30 ±0.3							
	C	32		09473434032	0.6 ±0.01	76		09473434076	20 ±0.2						
		31		09473434031	0.5 ±0.01	75		09473434075	15 ±0.15						
		30	09473434030	0.3 ±0.01	74	09473434074	10 ±0.1								
29		09473434029	0.2 ±0.01	73	09473434073	9 ±0.09									
28		09473434028	HAR PROFINET Typ B 4xAWG 22/7 PUR green	100 ±1	72	09473434072	8 ±0.08								
27		09473434027		90 ±0.9	71	09473434071	7.5 ±0.075								
26		09473434026		80 ±0.8	70	09473434070	7 ±0.07								
25		09473434025		70 ±0.7	69	09473434069	6 ±0.06								
24		09473434024		60 ±0.6	68	09473434068	5 ±0.05								
23		09473434023		50 ±0.5	67	09473434067	4 ±0.04								
22		09473434022		40 ±0.4	66	09473434066	3.5 ±0.035								
21		09473434021		30 ±0.3	65	09473434065	3 ±0.03								
20		09473434020		20 ±0.2	64	09473434064	2.5 ±0.025								
19		09473434019		15 ±0.15	63	09473434063	2 ±0.02								
18		09473434018		10 ±0.1	62	09473434062	1.5 ±0.015								
17		09473434017		9 ±0.09	61	09473434061	1 ±0.01								
16		09473434016		8 ±0.08	60	09473434060	0.6 ±0.01								
15		09473434015		7.5 ±0.075	59	09473434059	0.5 ±0.01								
14	09473434014	7 ±0.07		58	09473434058	0.3 ±0.01									
D	13	09473434013		6 ±0.06	57	09473434057	0.2 ±0.01								
	12	09473434012		5 ±0.05	56	09473434056	100 ±1								
	11	09473434011		4 ±0.04	55	09473434055	90 ±0.9								
	10	09473434010	3.5 ±0.035	54	09473434054	80 ±0.8									
	9	09473434009	3 ±0.03	53	09473434053	70 ±0.7									
	8	09473434008	2.5 ±0.025	52	09473434052	60 ±0.6									
	7	09473434007	2 ±0.02	51	09473434051	50 ±0.5									
	6	09473434006	1.5 ±0.015	50	09473434050	40 ±0.4									
	5	09473434005	1 ±0.01	49	09473434049	30 ±0.3									
	4	09473434004	0.6 ±0.01	Cont. no.	Part no.	Type of cable	Dim. a[m]								
	3	09473434003	0.5 ±0.01												
	2	09473434002	0.3 ±0.01	 All Dimensions in mm	Tech. Character.	Free size tol.	According to production drawing								
	1	09473434001	0.2 ±0.01												
	E	Cont. no.	Part no.	Type of cable	Dim. a[m]	 All rights reserved Department HCS - RO	Created by COSTEA Costea	Inspected by 402676 Gross	Standardisation MUNTEANV Muntean	Date 2023-06-08	State Final Release				
							Title RJ Industrial Cable Assembly				Doc-Key / ECM-Nr. 100155469/UGD/026/G 500000245667				
	F					HARTING Customised Solutions D-32339 Espelkamp	Type TB	Number 09473434XXX			Rev. G	Page 2/3			
		1	2	3	4	5	6	7	8						

	1	2	3	4	5	6	7	8
A								
	142	09473434140		100 ±1				
	141	09473434139		90 ±0.9				
	140	09473434138		80 ±0.8				
	139	09473434137		70 ±0.7				
	138	09473434136		60 ±0.6				
	137	09473434135		50 ±0.5				
	136	09473434134		40 ±0.4				
	135	09473434142		35 ±0.35				
B	134	09473434133		30 ±0.3				
	133	09473434141		25 ±0.25				
	132	09473434132		20 ±0.2				
	131	09473434131		15 ±0.15				
	130	09473434130		10 ±0.1				
	129	09473434129		9 ±0.09				
	128	09473434128		8 ±0.08				
	127	09473434127	HAR PROFINET Typ B 4xAWG 22/7 PVC outdoor black	7.5 ±0.075				
	126	09473434126		7 ±0.07				
	125	09473434125		6 ±0.06				
C	124	09473434124		5 ±0.05				
	123	09473434123		4 ±0.04				
	122	09473434122		3.5 ±0.035				
	121	09473434121		3 ±0.03				
	120	09473434120		2.5 ±0.025				
	119	09473434119		2 ±0.02				
	118	09473434118		1.5 ±0.015				
	117	09473434117		1 ±0.01				
	116	09473434116		0.6 ±0.01				
	115	09473434115		0.5 ±0.01				
D	114	09473434114		0.3 ±0.01				
	113	09473434113		0.2 ±0.01				
	112	09473434112		100 ±1				
	111	09473434111		90 ±0.9				
	110	09473434110		80 ±0.8				
	109	09473434109		70 ±0.7				
	108	09473434108		60 ±0.6				
	107	09473434107		50 ±0.5				
	106	09473434106		40 ±0.4				
	105	09473434105		30 ±0.3				
E	104	09473434104		20 ±0.2				
	103	09473434103	HAR PROFINET Typ C 4xAWG 22/7 PUR Trail. green	15 ±0.15				
	102	09473434102		10 ±0.1				
	101	09473434101		9 ±0.09				
	100	09473434100		8 ±0.08				
	99	09473434099		7.5 ±0.075				
	98	09473434098		7 ±0.07				
	97	09473434097		6 ±0.06				
	96	09473434096		5 ±0.05				
	95	09473434095		4 ±0.04				
	94	09473434094		3.5 ±0.035				
F	93	09473434093		3 ±0.03				
	Cont. no.	Part no.	Type of cable	Dim. a[m]				
	1	2	3	4	5	6	7	8



All rights reserved

Department HCS - RO

Created by
COSTEA
Costea

Inspected by
402676
Gross

Standardisation
MUNTEANV
Muntean

Date
2023-06-08

State
Final Release

Title
RJ Industrial Cable Assembly

Doc-Key / ECM-Nr.
100155469/UGD/026/G
500000245667


HARTING Customised Solutions
D-32339 Espelkamp

Type TB

Number 09473434XXX

Rev. G

Page 3/3



All Dimensions
in mm

Tech. Character.

Free size tol.

According to production drawing