

Plug - with cable gland, Multi-Grip



| Product description | |
|---------------------------|------------------------------|
| BALS-Prd.-Nr | 4432 |
| EAN | 4024941044325 |
| Product category | Plug extra-low voltage |
| Current | 16A |
| Number of poles | 3p |
| Poles | 3P |
| Position of earth contact | 3 h |
| Voltage | 20 up to 25 and 40 up to 50V |
| Frequency | 400Hz |

| Product description | |
|------------------------|--|
| Protection degree | IP44 |
| Colour code | green RAL 6002 |
| Colour of appliance | Housing cover grey RAL 7035, Cable gland grey RAL 7035, Collar green RAL 6002 |
| Connection design | with screw terminal |
| Maximum conductor size | 10,0 qmm |
| Cable entry | Cable gland |
| Height | 141mm |
| Width | 62mm |
| Depth | 57mm |
| Material of enclosure | Polyamide |
| Contact | The contact carrier is made of polyamide, the contacts are brass nickel plated |

| Additional technical properties | |
|---------------------------------|--|
| | Multi-Grip cable gland with gasket and integrated strain relief, For cable diameter from 11 up to max. 23,5 mm |

| Logistics data | |
|----------------|------------------|
| Weight/pcs | 0.157 kg / Piece |
| Packaging | Bag |
| Content amount | 1 ST |
| EAN | 4024941044325 |

| Logistics data | |
|----------------|---------------|
| Length | 57 mm |
| Width | 62 mm |
| Height | 141 mm |
| Weight | 0.158 kg |
| Volume | 498.294 ccm |
| Packaging | Carton |
| Content amount | 10 ST |
| EAN | 4024941837545 |
| Length | 248 mm |
| Width | 158 mm |
| Height | 123 mm |
| Weight | 1.667 kg |
| Volume | 3,960 ccm |

