



Connector Location A

Connector Location B






X
male

Y
male



Loading Plan




- Protection level: IP65/67
- Temperature range: -30°C ... +70°C


	All rights reserved Department HCS - RO	Created by STOCHECIC Stochei	Inspected by 402676 Gross	Standardisation MUNTEANV Muntean	Date 2023-05-26	State Final Release	Doc-Key / ECM-Nr. 100155397/UGD/006/D 500000245328
	HARTING Customised Solutions D-32339 Espelkamp	Title PPv14 RJ45 metal Profinet		Type TB	Number 09475656XXX	Rev. D	Page 1/3

Cont. no.	Part no.	Type of cable	Dim. a[m]	
44	09475656052	HAR PROFINET Typ B 4xAWG 22/7 PVC green	100 ±1	
43	09475656051		90 ±0.9	
42	09475656050		80 ±0.8	
41	09475656049		70 ±0.7	
40	09475656048		60 ±0.6	
39	09475656047		50 ±0.5	
38	09475656046		40 ±0.4	
37	09475656045		30 ±0.3	
36	09475656044		20 ±0.2	
35	09475656043		15 ±0.15	
34	09475656042		10 ±0.1	
33	09475656041		9 ±0.09	
32	09475656040		8 ±0.08	
31	09475656039		7 ±0.07	
30	09475656038		6 ±0.06	
29	09475656037		5 ±0.05	
28	09475656036		4 ±0.04	
27	09475656035		3 ±0.03	
26	09475656034		2 ±0.02	
25	09475656033		1.5 ±0.015	
24	09475656032		1 ±0.01	
23	09475656031		0.5 ±0.01	
22	09475656022		HAR PROFINET Typ A 4xAWG 22/1 PVC green	100 ±1
21	09475656021			90 ±0.9
20	09475656020	80 ±0.8		
19	09475656019	70 ±0.7		
18	09475656018	60 ±0.6		
17	09475656017	50 ±0.5		
16	09475656016	40 ±0.4		
15	09475656015	30 ±0.3		
14	09475656014	20 ±0.2		
13	09475656013	15 ±0.15		
12	09475656012	10 ±0.1		
11	09475656011	9 ±0.09		
10	09475656010	8 ±0.08		
9	09475656009	7 ±0.07		
8	09475656008	6 ±0.06		
7	09475656007	5 ±0.05		
6	09475656006	4 ±0.04		
5	09475656005	3 ±0.03		
4	09475656004	2 ±0.02		
3	09475656003	1.5 ±0.015		
2	09475656002	1 ±0.01		
1	09475656001	0.5 ±0.01		

88	09475656112	HAR PROFINET Typ B 4xAWG 22/7 PVC outdoor black	100 ±1	
87	09475656111		90 ±0.9	
86	09475656110		80 ±0.8	
85	09475656109		70 ±0.7	
84	09475656108		60 ±0.6	
83	09475656107		50 ±0.5	
82	09475656106		40 ±0.4	
81	09475656105		30 ±0.3	
80	09475656104		20 ±0.2	
79	09475656103		15 ±0.15	
78	09475656102		10 ±0.1	
77	09475656101		9 ±0.09	
76	09475656100		8 ±0.08	
75	09475656099		7 ±0.07	
74	09475656098		6 ±0.06	
73	09475656097		5 ±0.05	
72	09475656096		4 ±0.04	
71	09475656095		3 ±0.03	
70	09475656094		2 ±0.02	
69	09475656093		1.5 ±0.015	
68	09475656092		1 ±0.01	
67	09475656091		0.5 ±0.01	
66	09475656082		HAR PROFINET Typ C 4xAWG 22/7 PUR Trail. green	100 ±1
65	09475656081			90 ±0.9
64	09475656080			80 ±0.8
63	09475656079			70 ±0.7
62	09475656078			60 ±0.6
61	09475656077			50 ±0.5
60	09475656076			40 ±0.4
59	09475656075			30 ±0.3
58	09475656074			20 ±0.2
57	09475656073			15 ±0.15
56	09475656072		10 ±0.1	
55	09475656071	9 ±0.09		
54	09475656070	8 ±0.08		
53	09475656069	7 ±0.07		
52	09475656068	6 ±0.06		
51	09475656067	5 ±0.05		
50	09475656066	4 ±0.04		
49	09475656065	3 ±0.03		
48	09475656064	2 ±0.02		
47	09475656063	1.5 ±0.015		
46	09475656062	1 ±0.01		
45	09475656061	0.5 ±0.01		

 All rights reserved Department HCS - RO	Created by STOCHECIC Stocheci	Inspected by 402676 Gross	Standardisation MUNTEANV Muntean	Date 2023-05-26	State Final Release
	Title PPv14 RJ45 metal Profinet		Doc-Key / ECM-Nr. 100155397/UGD/006/D 50000245328		Rev. D
HARTING Customised Solutions D-32339 Espelkamp		Type TB	Number 09475656XXX		Page 2/3

	1	2	3	4	5	6	7	8
A								
B								
C								
D	110	094.75656182	HAR PROFINET Typ C 4xAWG 22/19 PUR Tors. green	100 ±1				
	109	094.75656181		90 ±0.9				
	108	094.75656180		80 ±0.8				
	107	094.75656179		70 ±0.7				
	106	094.75656178		60 ±0.6				
	105	094.75656177		50 ±0.5				
	104	094.75656176		40 ±0.4				
	103	094.75656175		30 ±0.3				
	102	094.75656174		20 ±0.2				
	101	094.75656173		15 ±0.15				
	100	094.75656172		10 ±0.1				
E	99	094.75656171		9 ±0.09				
	98	094.75656170		8 ±0.08				
	97	094.75656169		7 ±0.07				
	96	094.75656168		6 ±0.06				
	95	094.75656167		5 ±0.05				
	94	094.75656166		4 ±0.04				
	93	094.75656165		3 ±0.03				
	92	094.75656164		2 ±0.02				
	91	094.75656163		1.5 ±0.015				
	90	094.75656162	1 ±0.01					
F	89	094.75656161	0.5 ±0.01					
	Cont. no.	Part no.	Type of cable	Dim. a[m]				

	All rights reserved Department HCS - RO	Created by STOCHECIC Stochechi	Inspected by 402676 Gross	Standardisation MUNTEANV Muntean	Date 2023-05-26	State Final Release	According to production drawing
HARTING Customised Solutions D-32339 Espelkamp		Title PPv14 RJ45 metal Profinet			Doc-Key / ECM-Nr. 100155397/UGD/006/D 500000245328		
		Type TB	Number 09475656XXX		Rev. D	Page 3/3	