


PCB layout hole component side
Recommended thickness 1,6



| | | |
|---------------|------------|-------------------|
| 0965 163 3811 | M3 | PL1 |
| 0965 163 6811 | M3 | PL2 |
| 0965 163 7811 | M3 | PL3 |
| 0965 163 5811 | M3 | PLS4 |
| 0965 163 3812 | 4-40 UNC | PL1 |
| 0965 163 6812 | 4-40 UNC | PL2 |
| 0965 163 7812 | 4-40 UNC | PL3 |
| 0965 163 5812 | 4-40 UNC | PLS4 |
| Part number | Nut thread | Performance level |

| | | | | | | |
|------------------------------|---|---|-----------------------|---------------------------|--------------------|--|
| | All rights reserved Department EL PD | All Dimensions in mm Original Size DIN A3 | | Scale 2:1 | Free size tol. | Ref. Sub. |
| | | Created by ZHUANGJ | Inspected by LUOK | Standardisation ROEBEN | Date 2023-08-25 | State Final Release |
| HARTING D-32339 Espelkamp | | Title D-Sub standard angl 9-pole male with nut | | | | Doc-Key / ECM-Nr. 101072790/UGD/000/B 500000252402 |
| | | Type TB | Number 0965163X81X | | Rev. B | Page 1/1 |