

RJ45 Han3A met.Hyb. PN Cat5+4x1,5 70m




Image is for illustration purposes only. Please refer to product description.

| | |
|--------------------|---|
| Part number | 09 45 715 1380 |
| Specification | RJ45 Han3A met.Hyb. PN Cat5+4x1,5 70m |
| HARTING eCatalogue | https://harting.com/09457151380 |

Identification

| | |
|---------------|--------------------------------------|
| Category | System cabling |
| Series | RJ45 |
| Element | Cable assemblies |
| Specification | Pre-assembled on both sides |
| Connector 1 | Han [®] 3 A Hybrid Metal |
| Connector 2 | Han [®] 3 A Hybrid Metal |
| Type of cable | Copper cable (round) |

Version

| | |
|-----------------|---------------------------------------|
| Cable length | 70 m |
| Number of cores | 8 |
| Core structure | 4x AWG 22/7 4x 1.5 mm ² |

Technical characteristics

| | |
|------------------------------|------------------------------|
| Transmission characteristics | Cat. 5 Class D up to 100 MHz |
| Data rate | 10 Mbit/s 100 Mbit/s |

Material properties

| | |
|------------------|-------------|
| Material (cable) | FRNC (LSZH) |
| Colour (cable) | Green |



Pushing Performance
Since 1945

Material properties

| | |
|--------------------------------------|--|
| RoHS | compliant with exemption |
| RoHS exemptions | 6(c): Copper alloy containing up to 4 % lead by weight |
| ELV status | compliant with exemption |
| China RoHS | 50 |
| REACH Annex XVII substances | Not contained |
| REACH ANNEX XIV substances | Not contained |
| REACH SVHC substances | Yes |
| REACH SVHC substances | 6,6'-di-tert-butyl-2,2'-methylenedi-p-cresol Lead |
| California Proposition 65 substances | Yes |
| California Proposition 65 substances | Lead Nickel |

Commercial data

| | |
|--------------------------------|--|
| Packaging size | 1 |
| Net weight | 9,000 g |
| Country of origin | Romania |
| European customs tariff number | 85444290 |
| GTIN | 5713140249882 |
| eCl@ss | 27060390 Ready-made data cable (unspecified) |
| ETIM | EC002599 |
| UNSPSC 24.0 | 26121600 |