



















SMART⁺ WIFI CUBE



	EAN	W	lm	K	Δ (°C)	V~	mA	Hz	DF
SMART OUTD WIFI CUBEUPDOWN RGBW DG	4058075478077	14	950	3000	-20...+40	220-240	96	50/60	≥0.7
SMART OUTD WIFI CUBE WALL RGBW DG	4058075478114	10	500	3000	-20...+40	220-240	70	50/60	≥0.7
SMART OUTD WIFI CUBE 50CM RGBW DG	4058075478152	10	500	3000	-20...+40	220-240	70	50/60	≥0.7
SMART OUTD WIFI CUBE 80CM RGBW DG	4058075478176	10	500	3000	-20...+40	220-240	70	50/60	≥0.7





	EAN	This product contains a light source of energy efficiency class	Contained Light Source
SMART OUTD WIFI CUBEUPDOWN RGBW DG	4058075478077	F	
SMART OUTD WIFI CUBE WALL RGBW DG	4058075478114	F	
SMART OUTD WIFI CUBE 50CM RGBW DG	4058075478152	F	
SMART OUTD WIFI CUBE 80CM RGBW DG	4058075478176	F	



C10449057
G11124430
07.07.2021



LEDVANCE GmbH
Steinerne Furt 62
86167 Augsburg, Germany
www.ledvance.com