

Domestic connector - with hinged lid and child protection, System F German standard


Product description	
BALS-Prd.-Nr	748809
EAN	4024941854030
Product category	Domestic connector
Current	16A
Number of poles	3p
Arrangement of phases	2P+PE
Voltage	250V~
Frequency	AC
Protection degree	IP54
Colour code	black RAL 9005
Colour of appliance	Collar black RAL 9005, Hinged lid black RAL 9005, Housing cover black RAL 9005
Connection design	head-screw terminal
Maximum conductor size	4,0 qmm
Cable entry	Cable gland
Height	123mm
Width	52mm
Depth	64mm
Material of enclosure	Polyamide

Product description	
Contacts	The contact carrier is made of polyamide, the contacts are brass nickel plated

Additional technical properties	
	with german earthing system, With increased contact protection (shutter)
	Multi-Grip cable gland with gasket and integrated strain relief
	With self-closing hinged lid

Logistics data	
Weight/pcs	0.102 kg / Piece
Packaging	Bag
Content amount	1 ST
EAN	4024941854030
Length	64 mm
Width	52 mm
Height	123 mm
Weight	0.103 kg
Volume	409.344 ccm
Packaging	Carton
Content amount	20 ST
EAN	4024941324748
Length	245 mm

Logistics data	
Width	177 mm
Height	185 mm
Weight	2.173 kg
Volume	7,140 ccm

**18 MB 120**