

HPP V4 USB 2.0 type A to type B



Part number	09 45 541 1910
Specification	HPP V4 USB 2.0 type A to type B
HARTING eCatalogue	https://b2b.harting.com/09455411910

Image is for illustration purposes only. Please refer to product description.

Identification


Category	Connectors
Series	HARTING PushPull (V4)
Identification	USB
Element	Adapter PCB
Specification	USB 2.0 type A to USB 2.0 type B USB 2.0 type B to USB 2.0 type A
Adapter for	Jack to jack
Version	
Shielding	Fully shielded, 360° shielding contact
Number of contacts	4
Technical characteristics	
Technical characteristics Limiting temperature	-40 +70 °C
	-40 +70 °C ≥750
Limiting temperature	
Limiting temperature Mating cycles	
Limiting temperature Mating cycles Material properties	≥750
Limiting temperature Mating cycles Material properties RoHS	≥750 compliant
Limiting temperature Mating cycles Material properties RoHS ELV status	≥750 compliant compliant
Limiting temperature Mating cycles Material properties RoHS ELV status China RoHS	≥750 compliant compliant e

Page 1 / 3 | Creation date 2022-09-14 | Please note that the data specified here were taken as extracts from the online catalogue. Please refer to the user documentation for the complete and up-to-date information and data. Please also note that the user is responsible for validating functionality, conformity with applicable laws and directives, as well as for the electrical safety in the particular application. HARTING Electronics GmbH | Marienwerderstraße 3 | 32339 Espelkamp | Germany Phone +49 5772 47-97200 | electronics@HARTING.com | www.HARTING.com Product data sheet 09 45 541 1910 HPP V4 USB 2.0 type A to type B



Material properties	
California Proposition 65 substances	Yes
California Proposition 65 substances	Antimony trioxide Lead Naphthalene
Specifications and approvals	
Specifications	IEC 61076-3-106 Variant 4 (V4)
Approvals	DNV GL
Commercial data	
Commercial data Packaging size	1
	1 7.68 g
Packaging size	
Packaging size Net weight	7.68 g
Packaging size Net weight Country of origin	7.68 g Germany


Mounting instruction



Page 2 / 3 | Creation date 2022-09-14 | Please note that the data specified here were taken as extracts from the online catalogue. Please refer to the user documentation for the complete and up-to-date information and data. Please also note that the user is responsible for validating functionality, conformity with applicable laws and directives, as well as for the electrical safety in the particular application. HARTING Electronics GmbH | Marienwerderstraße 3 | 32339 Espelkamp | Germany Phone +49 5772 47-97200 | electronics@HARTING.com | www.HARTING.com Product data sheet 09 45 541 1910 HPP V4 USB 2.0 type A to type B



Mounting instruction



Page 3 / 3 | Creation date 2022-09-14 | Please note that the data specified here were taken as extracts from the online catalogue. Please refer to the user documentation for the complete and up-to-date information and data. Please also note that the user is responsible for validating functionality, conformity with applicable laws and directives, as well as for the electrical safety in the particular application. HARTING Electronics GmbH | Marienwerderstraße 3 | 32339 Espelkamp | Germany Phone +49 5772 47-97200 | electronics@HARTING.com | www.HARTING.com