

Produktdatenblatt


Art. Nr. 92.297.4060.7

Konfektionierte Leitung GST18i3KSBS 15H 40GN07

GST18i3 Verbindungsleitung Buchse - Stecker, Länge 4,0 m, 3-polig, Kodierung nach Kundenwunsch mit PE, 16 A, Kodierfarbe maigrün, Zugentlastungsfarbe schwarz, Leitungsfarbe schwarz, Leiterquerschnitt 1,5 mm², Kabeltyp H05Z1Z1-F, Brandklasse: Eca



Art. Nr.	92.297.4060.7
EAN	4049088278532
Bestelleinheit	20 Stück

Zulassungen
Technische Zeichnung


Buchsteil, maigrün
 female connector, may green

Steckerteil, maigrün
 male connector, may green

H05Z1Z1-F 3G1,5 SW
 schwarz/black
 halogenfrei/halogen-free

2/N
 M 2:1
 1

28,2
 19,5
 69,4
 L ±3%
 69,4
 19,5
 28,4
 12,6
 12,6

Gesamtlänge/total length

2/N
 M 2:1
 1

Teile-Nr. part-no.	L	Beispiel (Farbe: maigrün) example (colour: may green)	Typ type
92.297.XX60.7	XX in dm-Schritten	92.297.1060.7 = 10dm/L= 1000mm	GST1813KSBS 15H 10GN07
U2.297.XX60.7	XX in m-Schritten	U2.297.1260.7 = 12 m/L=12000mm	GST1813KSBS 15H X126N07

Weitere Daten siehe KATALOG oder eCatalog.
 Additional data see CATALOG or eCatalog.

www.wieland-electric.com
eshop.wieland-electric.com

Tolerierung Size ISO 14095/Tolerance system Size ISO 14095
 (This ISO-standard describes the envelope principle. According to the envelope principle the deviations of form and parallelism are limited by the size tolerances.)

Material/Material: -
 Werkstoff/Material: -
 ZD/C: -
 Tag/Date: 13.08.
 Name: Duetsch T.
 Zeichnung Nr./Drawing No.: 92.297.0260.7 01K
 Index: -
 Datum/Date: -
 Made in mm/Dimensions are in mm

922970260701K_3 CADW3027 Duetsch | 2014-08-18T10:41:31 21.000